

ÎMPRĂȘTIEREA MINERALELOR RMD-6, RMD-8, RMD-12, RMD-20



ADDITIONAL INFORMATION

Volumul	RMD-6: 6 m ³ , RMD-8: 8 m ³ , RMD-12: 12 m ³ , RMD-20: 20 m ³
Capacitate încărcare	RMD-6: 6000 kg, RMD-8: 7800 kg, RMD-12: 12000 kg, RMD-20: 20000 kg
Lungime	RMD-6: 5500mm, RMD-8: 5500mm, RMD-12: 7500mm, RMD-20: 8800mm
Lățime	RMD-6: 2530mm, RMD-8: 2530mm, RMD-12: 3000mm, RMD-20: 3000mm
Înălțime	RMD-6: 2100mm, RMD-8: 2400mm, RMD-12: 2900mm, RMD-20: 3100mm
Greutate totală	RMD-6: 8000kg, RMD-8: 10000kg, RMD-12: 16000kg, RMD-20: 26000kg
Anvelope	RMD-6: 550/60-22,5, RMD-8: 550/60-22,5, RMD-12: 550/60-22,5, RMD-20: 550/60-22,5
Sarcina pe fiecare anvelopă	RMD-6: 5450kg, RMD-8: 5450kg, RMD-12: 9080kg, RMD-20: 6300kg

[+40769 370 202](tel:+40769370202)

[+40371.199.256](tel:+40371199256)

office@etufarm.ro

B-dul. Dorobanților 784,810118 Brăila

Sarcina pe inel	RMD-6: 1000kg, RMD-8: 1000kg, RMD-12: 2000kg, RMD-20: 3000kg
Lățime în lucru	RMD-6: 8-24m, RMD-8: 8-24m, RMD-12: 8-24m, RMD-20: 8-24m
Rata de aplicare	RMD-6: 50-10000kg/ha, RMD-8: 50-10000kg/ha, RMD-12: 50-10000kg/ha, RMD-20: 50-10000kg/ha

Mineral spreaders RMD-6, RMD-8, RMD-12, RMD-20

SKU: N/A

Categorie: [MAI minerale](#)

DESCRIERE PRODUS

Împrăștierea mineralelor RMD-6, RMD-8, RMD-12, RMD-20



[+40769 370 202](tel:+40769370202)

[+40371.199.256](tel:+40371199256)

office@etufarm.ro

B-dul. Dorobanților 784,810118 Brăila

Caracteristici tehnice

	RMD-6	RMD-8	RMD-12	RMD-20
Volumul, m ³	6	8	12	20
Capacitate încărcare, kg	6 000	7 800	12 000	20 000
Lungime, mm	5 500	5 500	7 500	8 800
Lățime, mm	2 530	2 530	3 000	3 000
Înălțime, mm	2 100	2 400	2 900	3 100
Greutate totală, kg	8 000	10 000	16 000	26 000
Anvelope	550/60-22,5	550/60-22,5	550/60-22,5	560/60-22,5
Sarcina pe fiecare anvelopă, kg	5 450	5 450	9 080	6 300
Sarcina pe inel, kg	1 000	1 000	2 000	3 000
Lățime in lucru, m	8-24	8-24	8-24	8-24
Rata de aplicare, kg / ha	50-10 000	50-10 000	50-10 000	50-10 000

[**+40769 370 202**](tel:+40769370202)

[**+40371.199.256**](tel:+40371199256)

[**office@etufarm.ro**](mailto:office@etufarm.ro)

B-dul. Dorobanților 784,810118 Brăila

ADDITIONAL INFORMATION

Volumul	RMD-6: 6 m3, RMD-8: 8 m3, RMD-12: 12 m3, RMD-20: 20 m3
Capacitate încărcare	RMD-6: 6000 kg, RMD-8: 7800 kg, RMD-12: 12000 kg, RMD-20: 20000 kg
Lungime	RMD-6: 5500mm, RMD-8: 5500mm, RMD-12: 7500mm, RMD-20: 8800mm
Lățime	RMD-6: 2530mm, RMD-8: 2530mm, RMD-12: 3000mm, RMD-20: 3000mm
Înălțime	RMD-6: 2100mm, RMD-8: 2400mm, RMD-12: 2900mm, RMD-20: 3100mm
Greutate totală	RMD-6: 8000kg, RMD-8: 10000kg, RMD-12: 16000kg, RMD-20: 26000kg
Anvelope	RMD-6: 550/60-22,5, RMD-8: 550/60-22,5, RMD-12: 550/60-22,5, RMD-20: 550/60-22,5
Sarcina pe fiecare anvelopă	RMD-6: 5450kg, RMD-8: 5450kg, RMD-12: 9080kg, RMD-20: 6300kg
Sarcina pe inel	RMD-6: 1000kg, RMD-8: 1000kg, RMD-12: 2000kg, RMD-20: 3000kg
Lățime în lucru	RMD-6: 8-24m, RMD-8: 8-24m, RMD-12: 8-24m, RMD-20: 8-24m
Rata de aplicare	RMD-6: 50-10000kg/ha, RMD-8: 50-10000kg/ha, RMD-12: 50-10000kg/ha, RMD-20: 50-10000kg/ha

[**+40769 370 202**](tel:+40769370202)

[**+40371.199.256**](tel:+40371199256)

[**office@etufarm.ro**](mailto:office@etufarm.ro)

B-dul. Dorobanților 784,810118 Brăila

[+40769 370 202](tel:+40769370202)

[+40371.199.256](tel:+40371199256)

office@etufarm.ro

B-dul. Dorobanților 784,810118 Brăila